

Gestión de Usuarios y Grupos con WEBMIN 1.760

Gabriel Alejandro Caraballo (g_a_caraballo@hotmail.com)

GNU/Linux – Nivel 1 – Laboratorio GUGLER
Universidad Autónoma de Entre Ríos, Oro Verde
Facultad de Ciencia y Tecnología
AÑO 2014

Copyright (C) 2015 Gabriel Alejandro Caraballo.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled "GNU
Free Documentation License".

Índice:

<i>Introducción</i>	4
<i>Descarga e instalación</i>	5
<i>Ejecutando Webmin 1.760 por primera vez</i>	6
<i>Configuración del Idioma</i>	7
<i>Gestionando grupos y usuarios</i>	8
<i>Creando usuarios</i>	10
<i>Modificando usuarios</i>	11
<i>Eliminando usuarios</i>	11
<i>Realizar ABM de Usuarios desde archivos por lotes</i>	11
<i>Exportando Usuarios a archivos por lotes</i>	12
<i>Creando grupos</i>	13
<i>Modificando grupos</i>	13
<i>Eliminando grupos</i>	13
<i>Conclusión</i>	14
<i>Enlaces consultados</i>	15
<i>GNU Free Documentation Software</i>	16

Introducción.

Webmin es una herramienta de configuración para Unix/Linux accesible a partir de un navegador web como Firefox.

Se compone de un servidor web con módulos que actúan directamente sobre los archivos de configuración.

Entre sus módulos cuenta con uno para la gestión de Usuarios y Grupos, el cual representa una forma amigable para la administración de los mismos.

Descarga e instalación.

Como primer paso debemos descargarlo e instalarlo. Esto podemos realizarlo desde la consola, o bien descargando el instalador desde la página <http://www.webmin.com/download.html>

Para realizar la instalación desde la consola, debemos modificar el archivo donde tenemos la lista de repositorios desde donde podemos descargar software. Este archivo, por lo general, es:

```
/etc/apt/sources.list
```

A este archivo le agregamos las siguientes líneas:

```
* deb http://download.webmin.com/download/repository sarge contrib
* deb http://webmin.mirror.somersettechsolutions.co.uk/repository
sarge contrib
```


Luego procedemos a realizar un update:

```
apt-get update
```

Por último ejecutamos el comando para instalar Webmin:

```
apt-get install webmin
```

En la imagen siguiente se observa que la instalación se realizó correctamente.



The screenshot shows a terminal window titled "gabriel@mint: ~". The window contains the following text output from the terminal command:

```
gabriel@mint:~$ sudo apt-get install webmin
Leyendo lista de paquetes... Hecho
Creando árbol de dependencias
Leyendo la información de estado... Hecho
Se instalarán los siguientes paquetes NUEVOS:
  webmin
0 actualizados, 1 se instalarán, 0 para eliminar y 7 no actualizados.
Necesito descargar 26,3 MB de archivos.
Se utilizarán 147 MB de espacio de disco adicional después de esta operación.
AVISO: ¡No se han podido autenticar los siguientes paquetes!
  webmin
¿Instalar estos paquetes sin verificación? [s/N] s
Des:1 http://download.webmin.com/download/repository/ sarge/contrib webmin all 1
.760 [26,3 MB]
Descargados 26,3 MB en 21seg. (1.210 kB/s)
Seleccionando el paquete webmin previamente no seleccionado.
(Leyendo la base de datos ... 150510 ficheros o directorios instalados actualmen
te.)
Desempaquetando webmin (de .../archives/webmin_1.760_all.deb) ...
Configurando webmin (1.760) ...
Webmin install complete. You can now login to https://mint:10000/
as root with your root password, or as any user who can use sudo
to run commands as root.
```

Ejecutando Webmin 1.760 por primera vez.


Una vez instalado, podemos acceder a Webmin mediante un navegador web escribiendo en la barra

de direcciones: <https://mint:10000/>


Si nos aparece el siguiente aviso, presionamos sobre “Entiendo los riesgos”




Nos mostrará lo siguiente:



Presionamos en “Añadir excepción” y por último confirmamos la excepción en forma permanente.



Una vez realizados estos pasos, podremos ver el Login.



The image shows a screenshot of the 'Login to Webmin' interface. At the top, it says 'Login to Webmin' and 'You must enter a username and password to login to the Webmin server on mint.'. Below this are two input fields: 'Username' and 'Password'. Underneath the password field is a checkbox labeled 'Remember login permanently?'. At the bottom are two buttons: 'Login' and 'Clear'.

Como indicaba al finalizar la instalación, podremos loguearnos como ROOT o como algún usuario que pueda usar SUDO para ejecutar comandos como ROOT.

Configuración del idioma.

Una vez logueados, accedemos a la página principal. Lo primero a realizar es seleccionar el idioma con el que queremos trabajar. Para esto accedemos en el menú ubicado a la izquierda:

Webmin → Change Language and Theme

En la opción Webmin UI Language tildamos en “Personal choice” el idioma (Spanish en nuestro caso). Presionamos Make Changes y Webmin procede a reiniciarse para que tenga efecto el cambio de idioma.

Gestionando Grupos y Usuarios.

Para gestionar los usuarios y grupos de nuestro Sistema Operativo accedemos a:

Sistema → Usuarios y Grupos.

En la parte superior podemos observar algunas opciones útiles:

Ayuda..
Configuración de
Módulo

Usuarios y Grupos

Buscar Documentos..


Database type: Regular /etc/passwd & /etc/shadow

Ayuda → Nos da una introducción a lo que es un usuario y los distintos tipos existentes. También describe lo que es un grupo y lo que hace el sistema cada vez que se loguea un usuario.

Buscar Documentos → presenta un listado con manuales de comandos y archivos. En la opción “Índice de módulo” podemos buscar el manual filtrando por nombre o lugar donde buscar. Esta opción cumple la misma función que el comando MAN.

Configuración de Módulo → Permite configurar opciones de directorio inicial para los usuarios, algunas opciones para cuando se crean nuevos usuarios, valores por defecto para nuevos usuarios, opciones a mostrar acerca de la información del usuario, restricciones de contraseña y configuración del sistema.

En la parte inferior de la pantalla tenemos el siguiente menú:



La primera opción nos permite ver un registro de logins recientes de todos los usuarios o de un usuario en particular.

Nombre de Usuario	Login Desde	TTY	Login a las	Logout a las	Dentro Durante
gabriel	:20	pts/0	03/Ago/2015 03:14	Todavía está dentro	
gabriel	:20	pts/0	03/Ago/2015 03:01	03:10	00:09
gabriel	:20	tty10	03/Ago/2015 02:24	Todavía está dentro	
german	:0	tty9	03/Ago/2015 02:21	Todavía está dentro	
german	:0	tty8	03/Ago/2015 02:18	02:20	00:02
german	:0	tty9	03/Ago/2015 02:15	02:15	00:00
gabriel	:0	pts/0	03/Ago/2015 02:02	02:03	00:01
gabriel	:0	pts/1	03/Ago/2015 01:41	01:56	00:14

La segunda opción permite ver los usuarios que se encuentran logueados actualmente.

Usuario de Unix	TTY	Entró a las	Entró desde
german	tty9	03/Ago/2015 02:21	:0
gabriel	tty10	03/Ago/2015 02:24	:20
gabriel	pts/0	03/Ago/2015 03:14	:20

Esta opción es similar a la función que cumple el comando WHO.

En la parte central de la pantalla podemos observar el listado de los usuarios locales existentes en el sistema y ordenarlos de acuerdo a nuestro criterio, haciendo clic sobre el encabezado de la columna. Este listado representa el contenido del archivo /etc/passwd. Presenta la misma información que si ejecutamos el comando:

```
cat /etc/passwd
```

También tenemos el listado de los grupos existentes. Este listado brinda la misma información que si ejecutamos el comando:

```
cat /etc/group
```

ABM de Usuarios.

Creando Usuarios.

Para crear un usuario nuevo presionamos sobre “Crear un nuevo usuario” y completamos todos los campos solicitados.

Detalles de Usuario

Nombre de Usuario	<input type="text"/>
ID de Usuario	<input checked="" type="radio"/> Automático <input type="radio"/> Calculado <input type="radio"/> 1003 <input type="text" value="1003"/>
Nombre Real	<input type="text"/>
Oficina	<input type="text"/>
Teléfono del trabajo	<input type="text"/>
Teléfono de Casa	<input type="text"/>
Opciones extra	<input type="text"/>
Directorio inicial	<input checked="" type="radio"/> Automático <input type="radio"/> Directory <input type="text"/> <input type="button" value="..."/>
Shell	<input type="text" value="/bin/bash"/> <input type="button" value="..."/>
Contraseña	<input type="radio"/> No se pide contraseña <input checked="" type="radio"/> No está permitido el login <input type="radio"/> Contraseña normal <input type="text"/> <input type="radio"/> Clave de acceso pre-criptada <input type="text"/> <input type="checkbox"/> Login temporalmente deshabilitado

Detalles del Usuario: podemos completar los datos del usuario, decidir su directorio inicial (/home del usuario), el programa a ejecutar cuando inicia sesión el usuario (/bin/bash en este ejemplo) y la contraseña.

Opciones de Contraseña

Contraseña cambiada	Nunca	Fecha de Expiración	<input type="text"/> / <input type="button" value="Ene"/> / <input type="text"/> <input type="button" value="..."/>
Días mínimos	<input type="text"/>	Días máximos	<input type="text"/>
Días de Aviso	<input type="text"/>	Días inactivos	<input type="text"/>

¿Forzar cambio en el siguiente login? Si No

Afiliación del Grupo

Grupo primario	<input type="radio"/> Nuevo grupo con el mismo nombre que el usuario <input type="radio"/> Nuevo grupo <input type="text"/> <input checked="" type="radio"/> Grupo existente <input type="text" value="users"/> <input type="button" value="..."/>		
Grupos secundarios	All groups root daemon bin sys adm	In groups	<input type="button" value="A"/> <input type="button" value=">"/> <input type="button" value="<"/> <input type="button" value="V"/>

Al Crear...

¿Crear directorio inicial? Si No
 ¿Copiar archivos a directorio inicial? Si No
 ¿Crear usuario en otros módulos? Si No

Opciones de Contraseña: En esta sección podemos poner fecha de expiración a la contraseña, forzar al usuario a cambiarla en su próximo login, entre otras opciones.

Afiliación del grupo: Podemos agregar el usuario a grupos existentes o crear uno nuevo.

Al crear: Esta sección nos permite elegir si queremos que al crear el usuario, se cree directorio inicial, se copien ciertos archivos de configuración al directorio inicial y si queremos que se cree el usuario en otros módulos de Webmin.

Modificando Usuarios.

En el listado de los usuarios, presionando sobre uno de ellos podemos editar su información. Nos conduce a un formulario igual al de creación de un usuario, pero con los campos completos con los datos del usuario seleccionado.

Agrega un botón para ver sus últimos logins en el sistema.

[Indice de Módulo](#)
[Ayuda..](#)

Registro de Logins

Registro de Logins de gabriel

Login Desde	TTY	Login a las	Logout a las	Dentro Durante
:0	pts/0	04/Ago/2015 16:30	Todavía está dentro	
:0	tty8	04/Ago/2015 15:50	Todavía está dentro	
:0	tty8	04/Ago/2015 13:35	14:27	00:51
:20	pts/0	03/Ago/2015 03:14	05:08	01:53
:20	pts/0	03/Ago/2015 03:01	03:10	00:09
:20	tty10	03/Ago/2015 02:24	05:09	02:44
:0	pts/0	03/Ago/2015 02:02	02:03	00:01
:0	pts/1	03/Ago/2015 01:41	01:56	00:14
:0	tty9	03/Ago/2015 01:34	02:14	00:39
:0	pts/0	03/Ago/2015 01:33	01:33	00:00
:0	tty9	03/Ago/2015 01:29	01:34	00:04

[Regresar a lista de usuarios y grupos](#)

Borrando Usuarios.

Para eliminar un usuario, lo seleccionamos tildando en su checkbox y presionamos “Borrar Usuarios Seleccionados”, Tambien es posible seleccionar varios usuarios para que en caso de tener que borrar mas de un usuario, podamos hacerlo en una sola vez.

De esta forma también se procede para habilitar o deshabilitar usuarios.

Realizar ABM de Usuarios desde archivos por lotes.

Batch user creation, update and deletion options

Fuente de datos de lotes Archivo cargado No se ha seleccionado ningún archivo.

Archivo en servidor
 Texto en la caja inferior

¿Crear, modificar o borrar usuarios en otros módulos? Si No

¿Sólo actualizar archivo de usuarios cuando el archivo por lotes se haya completado? Si No

¿Crear directorios iniciales para usuarios creados? Si No

¿Copiar archivos a directorios iniciales de usuarios creados? Si No

¿Renombrar directorios iniciales de usuarios modificados? Si No

¿Cambiar UID en archivos de usuarios modificados? No Directorio inicial Todos los archivos

¿Cambiar GID en archivos de usuarios modificados? No Directorio inicial Todos los archivos

¿Borrar directorios iniciales de usuarios borrados? Si No

¿Las contraseñas ya están encriptadas? Si No

Este formulario permite crear, modificar o eliminar usuarios desde un archivo de texto cargado o local, o siguiendo las instrucciones que pongamos en la “caja inferior”.

Cada línea del archivo representa una acción a realizar y el formato de escritura es:

**crear:username:passwd:uid:gid:realname:homedir:shell:min:max:warn:
inactive:expire**

**modificar:oldusername:username:passwd:uid:gid:realname:homedir:shell:min:max:warn:
inactive:expire**

borrar:username

Exportar Usuarios a archivo por lotes.

The screenshot shows a dialog box titled "Batch user export options". It has two main sections: "Destino de archivo por lotes" and "Formato de archivo por lotes".

Destino de archivo por lotes: Contains two radio button options: "Mostrar en navegador" (selected) and "Escribir en archivo" with a file input field and a "...".

Formato de archivo por lotes: A dropdown menu set to "Archivos passwd y shadow estándar".

Usuarios a exportar: Contains five radio button options under the heading "Usuarios a exportar": "Sólo usuarios" (selected), "Todos excepto los usuarios", "Usuarios con UIDs en el rango" with input fields for range boundaries, "Usuarios con grupos" with a group input field, and "Users with GIDs in range" with a group input field. There is also a checkbox for "Incluir grupos secundarios?" which is unchecked.

Buttons: A "Exportar Ahora" button at the bottom left.

Este formulario permite crear un archivo por lotes que contenga algunos o todos los usuarios existentes en el sistema. Permite seleccionar el destino, el formato del archivo a generar y que usuarios exportar.

ABM de Grupos.

Creando Grupos.

Para crear un grupo nuevo hacemos clic en “Crear un nuevo grupo” y nos llevará al siguiente formulario.

Indice de Módulo
Ayuda..

Crear Grupo

Detalles de Grupo

Nombre de Grupo	<input type="text"/>										
ID de Grupo	<input checked="" type="radio"/> Automático <input type="radio"/> Calculado <input type="radio"/> 1003										
Contraseña	<input checked="" type="radio"/> No se pide contraseña <input type="radio"/> Clave de acceso pre-criptada <input type="text"/> <input type="radio"/> Contraseña normal <input type="text"/>										
Miembros	All users										
	<table border="1"><tr><td>root</td></tr><tr><td>daemon</td></tr><tr><td>bin</td></tr><tr><td>sys</td></tr><tr><td>sync</td></tr><tr><td>games</td></tr><tr><td>man</td></tr><tr><td>lp</td></tr><tr><td>mail</td></tr><tr><td>news</td></tr></table>	root	daemon	bin	sys	sync	games	man	lp	mail	news
root											
daemon											
bin											
sys											
sync											
games											
man											
lp											
mail											
news											
	Users in group										
	<table border="1"><tr><td>></td></tr><tr><td><-</td></tr></table>	>	<-								
>											
<-											

Al Crear...

¿Crear grupo en otros módulos? Si No

Desde aquí mismo podemos agregar al nuevo grupo los usuarios que creamos conveniente.

Modificando Grupos.

Para modificar un grupo, presionamos sobre el grupo a modificar y se nos presentará el mismo formulario que para dar de alta un nuevo grupo, pero con los campos completos con los datos del grupo seleccionado.

Borrando Grupos.

Para eliminar un grupo, lo seleccionamos tildando en su checkbox y presionamos “Borrar Grupos Seleccionados”, Tambien es posible seleccionar varios grupos para que en caso de tener que borrar mas de uno, podamos hacerlo en una sola vez.

Conclusión:

Webmin es una herramienta muy útil para gestionar diferentes aspectos de nuestro sistema.

Dentro de sus prestaciones encontramos la gestión de grupos y usuarios. Esta tiene una interfaz intuitiva y fácil de manejar para cualquier persona que tenga conocimientos básicos de usuarios y grupos.

Si bien esta herramienta no posee la misma potencia que la consola, la podemos definir como un subconjunto de los comandos que más se utilizan en la gestión de usuarios y grupos.

Por último, podemos destacar que es fácil de instalar y, ejecutable en cualquier navegador web.

Enlaces consultados:

<http://www.gnu.org/licenses/fdl-1.3.en.html>

<http://www.webmin.com/download.html>

<http://www.webmin.com/deb.html>

GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you

must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title

Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license

notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (C) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with ... Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.